MATERIAL SAFETY DATA SHEET

 WOODBUDDY WOOD FILLER
 PAGE: 1

 PRODUCT CODE: 750
 HMIS CODES: H F R P

 I 1 0 H

 Image: Section I - MANUFACTURER IDENTIFICATION

 MANUFACTURER'S NAME: WOOD KOTE PRODUCTS INC.

 ADDRESS
 : 8000 NE 14TH PLACE

 PORTLAND, OR 97211

 EMERGENCY PHONE
 : (800) 535-5053

======= SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION ========

INFORMATION PHONE : (503) 285-8371 **NAME OF PREPARER** : C. JENKINS

COMPONENT	CAS #	CONCENTRATION (% WEIGHT)	OSHA TWA	ACGLH TLV
BARIUM SULFATE SILICA	7727- 43-7 14808-	< 75	NOT LISTED	NOT LISTED
(CRYSTALLINE)	60-7	0.5 -I .O	RESPIRABLE DUST 0.1 MG/M3	RESPIRABLE DUST 0.05 MG/M3
GUAR GUM	9000- 30-0	< 5	NOT LISTED	NOT LISTED
WATER	7732- 18-5	> 10	NOT LISTED	NOT LISTED
	SECTION	III - HAZARDS	IDENTIFICATION	

HAZARD DESCRIPTION: MAY BE MILD EYE AND SKIN IRRITANT.

HMIS: (NOTE, THERE ARE RECOMMENDED RATINGS. IT IS THE RESPONSIBILITY OF THE EMPLOYER TO EVALUATE PRODUCTS AND TRAIN EMPLOYEES ON THE HAZARDS OF THOSE PRODUCTS PRIOR TO USE. HEALTH: 1

HEALTH: 1 FLAMMABILITY: 1 REACTIVITY: 0 EXPOSURE GUIDELINES: SEE SECTION 2 -COMPOSITION/LNFORMATION ON INGREDIENTS AGGRAVATED MEDICAL CONDITIONS: NONE KNOWN

INHALATION: REMOVE TO FRESH AIR IMMEDIATELY. IF BREATHING HAS STOPPED, START RESUSCITATION AND ADMINISTER OXYGEN. CALL A PHYSICIAN. EYES: FLUSH EXPOSED EYES WITH WATER FOR AT LEAST 15 MINUTES. AN EYE EXAM SHOULD BE PERFORMED IF IRRITATION OR PAIN PERSISTS AFTER FLUSHING. SKIN: WASH THE EXPOSED AREA WITH SOAP AND WATER. PHYSICIAN SHOULD EXAMINE THE EXPOSED AREA IF IRRITATION OR PAIN PERSISTS. INGESTION: DILUTE WITH LARGE AMOUNTS OF WATER OR MILK. DO NOT INDUCE VOMITING MATERIAL SAFETY DATA SHEET

WOODBUDDY WOOD FILLER

EXTINGUISHING MEDIA: FOAM, CARBON DIOXIDE, DRY CHEMICAL SPECIAL FLRE FIGHTING PROCEDURES: NONE KNOWN. UNUSUAL FIRE & EXPLOSION HAZARDS: DURING A FIRE SITUATION, SMOKE MAY CONTAIN TOXIC/IRRITATING PRODUCTS INCLUDING CO AND CO2.

PERSONAL PRECAUTIONS: KEEP UNNECESSARY PERSONNEL AWAY. SEE SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION

ENVIRONMENTAL PROTECTION: DO NOT WASH INTO POTABLE WATER SUPPLY SOURCES CLEAN-UP METHODS: ELIMINATE ALL SOURCES OF IGNITION. DIKE LARGE SPILLS AND PUMP INTO SALVAGE TANK. ABSORB WITH SUITABLE MATERIAL. DO NOT WASH INTO POTABLE WATER SUPPLY SOURCES.

HANDLING: AVOID PROLONGED OR REPEATED SKIN CONTACT. AVOID BREATHING OF DUSTS. USE WITH ADEQUATE VENTILATION. PROHIBIT EATING OR SMOKING. KEEP AWAY FROM CHILDREN STORAGE: STORE IN ORIGINAL CONTAINER. KEEP TIGHTLY CLOSED WHEN NOT IN USE. KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME. STORE IN A DRY, COOL, WELL-VENTILATED AREA AWAY FROM DIRECT SUNLIGHT.

====== SECTION VIII - EXPOSURE CONTROLS AND PERSONAL PROTECTION ========

USE ONLY WITH VENTILATION TO KEEP LEVELS BELOW EXPOSURE GUIDELINES (SEE SECTION 2). PERSONAL PROTECTIVE EQUIPMENT REQUIREMENTS DEPEND UPON THE CONDITIONS OF USE. THE FOLLOWING ARE GENERAL RECOMMENDATIONS: **RESPIRATORY:** SUITABLE DUST MASK RECOMMENDED WHEN ADEQUATE VENTILATION CANNOT BE PROVIDED (I.E., IN CASE OF SIGNIFICANT DUST BUILD-UP) VENTILATION: LOCAL EXHAUST TO MINIMIZE DUST BUILD-UP PROTECTIVE GLOVES: GLOVES ARE RECOMMENDED TO AVOID DERMAL CONTACT WITH ANY CHEMICAL PRODUCT EYE PROTECTION: RECOMMEND EYE PROTECTION DESIGNED TO PROTECT AGAINST DUST IRRITATION. OTHER PROTECTIVE EQUIPMENT: CLEAN, LONG LEGGED, LONG SLEEVED WORK CLOTHES RECOMMENDED (DEPENDING ON ENVIRONMENTAL CONDITIONS VERSUS POTENTIAL FOR EXPOSURE). HYGIENIC PRACTICES: WASH HANDS THOROUGHLY AFTER USE. BOILING RANGE: NOT APPLICABLE VAPOR DENSITY: NOT AVAILABLE

VAPOR DENSITY: NOT AVAILABLE APPEARANCE/ODOR: COLORED PASTE WITH MILD ODOR SPECIFIC GRAVITY: APPROX. 2.1 3 WEIGHT/GALLON: APPROX. 18 LBS/GAL PERCENT VOLATILE: NIL VOC: NIL PAGE: 2

MATERIAL SAFETY DATA SHEET

WOODBUDDY WOOD FILLER

PAGE: 3

STABILITY: STABLE
MATERIALS TO AVOID: NONE KNOWN
DANGEROUS REACTIONS: NONE KNOWN
HAZARDOUS DECOMPOSITION PRODUCTS: DURING A FIRE SITUATION, SMOKE MAY CONTAIN
TOXIC/IRRITATING PRODUCTS INCLUDING CO AND CO2.

ACUTE HEALTH HAZARDS: MAY BE MILD EYE AND SKIN IRRITANT. CHRONIC HEALTH HAZARDS: NO KNOWN ADVERSE EFFECTS TO LONG-TERM EXPOSURE. CRYSTALLINE SILICA - SUFFICIENT EVIDENCE THAT INHALED CRYSTALLINE SILICA CAUSES CANCER IN HUMANS. EXPOSURE NOT EXPECTED UNDER NORMAL CONDITIONS OF USE SINCE DUST IS "WET-UP" IN THE PRODUCT. TARGET ORGANS: NO KNOWN ADVERSE EFFECTS

THIS PRODUCT DOES NOT DEGRADE NATURALLY. NOT EXPECTED TO CAUSE ECOLOGICAL PROBLEMS.

DISPOSE PRODUCT AND PACKAGINGS IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS. FOR FURTHER INFORMATION, CONTACT YOUR STATE OR LOCAL SOLID WASTE AGENCY OR THE U.S. EPA RCRA HOTLINE (1 -800-424-9346).

DOT CLASS: NOT DOT HAZARDOUS

TOXIC SUBSTANCE CONTROL ACT (TSCA): ALL INGREDIENTS LISTED EPA SARA TITLE ILL SECTION 302 (40 CFR 355) - EHS: NONE EPA SARA TITLE ILL SECTION 313) (40 CFR 372): (IF 2 I % FOR HAZARDOUS OR 2 0. I % FOR LISTED CARCINOGENS) NONE KNOWN CALIFORNIA PROPOSITION 65: SILICA, CRYSTALLINE (AIRBORNE PARTICLES OF RESPIRABLE SIZE) ARE LISTED UNDER PROPOSITION 65. CANADIAN REGULATIONS: DSL: ALL INGREDIENTS ARE LISTED WHMIS: NOT REGULATED UNDER WHMIS MATERIAL SAFETY DATA SHEET

WOODBUDDY WOOD FILLER

PAGE: 4

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA AVAILABLE TO US AND IS BELIEVED TO BE CORRECT. WOOD KOTE PRODUCTS MAKES NO WARRANTY, EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. WOOD KOTE PRODUCTS ASSUMES NO RESPONSIBILITY FOR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.