

M A T E R I A L S A F E T Y D A T A S H E E T

S2000-STAX-WAX-LEMON OIL

Page: 1

PRODUCT NAME: S2000-STAX-WAX-LEMON OIL
PRODUCT CODE: S2016

HMIS CODES: H F R P
2 2 0 C

=====
SECTION I - MANUFACTURER IDENTIFICATION
=====

MANUFACTURER'S NAME: WOOD KOTE PRODUCTS INC.
ADDRESS : 8000 NE 14TH PLACE
PORTLAND, OR 97211

EMERGENCY PHONE : (800) 535-5053 DATE PRINTED : 10/01/10
INFORMATION PHONE : (503) 285-8371 NAME OF PREPARER : C. JENKINS

=====
SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION
=====

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE mm Hg @ TEMP	WEIGHT PERCENT
PARAFFINIC MINERAL OIL OSHA TWA: 5mg/m3 ACGIH TWA: 5mg/m3	64742-55-8	<0.01 100 F	

=====
SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS
=====

BOILING RANGE: 500 F SPECIFIC GRAVITY (H2O=1): 0.88
VAPOR DENSITY: N/A EVAPORATION RATE: NEGLIGIBLE
COATING V.O.C.: 0 g/l MATERIAL V.O.C.: 0 g/l
SOLUBILITY IN WATER: MODERATE (1-10%)
APPEARANCE AND ODOR: AMBER COLOR WITH A LEMON OIL ODOR.

=====
SECTION IV - FIRE AND EXPLOSION HAZARD DATA
=====

FLASH POINT: 295 F METHOD USED: CLEVELAND
FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: N/A UPPER: N/A
EXTINGUISHING MEDIA: FOAM, CO2, DRY CHEMICAL.

SPECIAL FIREFIGHTING PROCEDURES
N/A

UNUSUAL FIRE AND EXPLOSION HAZARDS
NONE

=====
SECTION V - REACTIVITY DATA
=====

STABILITY: STABLE - AVOID EXPOSURE TO EXCESSIVE HEAT.

CONDITIONS TO AVOID
N/A

INCOMPATIBILITY (MATERIALS TO AVOID)
NONE

HAZARDOUS DECOMPOSITION OR BYPRODUCTS
NONE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

===== SECTION VI - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

INHALATION OF VAPOR OR MIST MAY CAUSE IRRITATION OF NASAL PASSAGES AND THROAT.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

AVOID DIRECT CONTACT TO EYES/MINIMAL HEALTH RISK TO SKIN

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

REPEATED OR PROLONGED SKIN CONTACT MAY DRY AND DEFAT SKIN CAUSING CRACKS, IRRITATION, AND DERMITITIS.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

INGESTION: CAN CAUSE GASTROINTESTINAL IRRITATION, VOMITING, NAUSEA, AND DIARRHEA. INGESTION MAY BE HARMFUL.

HEALTH HAZARDS (ACUTE AND CHRONIC)

NO LONG TERM HEALTH EFFECTS ARE EXPECTED.

CARCINOGENICITY: NTP CARCINOGEN: NO IARC MONOGRAPHS: NO OSHA REGULATED: NO

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

PRE-EXISTING SKIN CONDITIONS COULD BE AGGRAVATED BY OVEREXPOSURE.

EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT- IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR 15 MINUTES. SEEK MEDICAL ATTENTION. SKIN CONTACT- FLUSH SKIN WITH WATER. IF IRRITATION OCCURS, GET MEDICAL ATTENTION. INGESTION- DO NOT INDUCE VOMITING. CONTACT A PHYSICIAN IMMEDIATELY. IN CASE OF ACCIDENTAL HIGH-VELOCITY INJECTION UNDER SKIN, SEEK MEDICAL ATTENTION AT ONCE, EVEN IF INITIAL WOUND SITE DOES NOT APPEAR TO BE SERIOUS.

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

CONTAIN SPILLED LIQUID. WIPE UP WITH ABSORBENT CLOTH. WASH AREA WITH DETERGENT AND WATER.

WASTE DISPOSAL METHOD

DISPOSE OF ANY UNWANTED MATERIAL IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

WILL BE EXTREMELY SLIPPERY WHEN APPLIED TO OR SPILLED ON WALKING SURFACES.

OTHER PRECAUTIONS

NONE

===== SECTION VIII - CONTROL MEASURES =====

RESPIRATORY PROTECTION

N/A

VENTILATION

USE IN WELL VENTILATED AREA.

PROTECTIVE GLOVES

WEAR PROTECTIVE GLOVES FOR PROLONGED CONTACT.

EYE PROTECTION

EYE CONTACT CAN BE AVOIDED BY WEARING SAFETY GLASSES OR GOGGLES.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

WEAR CLOTHING THAT WILL PROTECT THE SKIN FROM CONTACT WITH THIS MATERIAL.

WORK/HYGIENIC PRACTICES

N/A

===== SECTION IX - DISCLAIMER =====

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA AVAILABLE TO US AND IS BELIEVED TO BE CORRECT. WOOD KOTE PRODUCTS MAKES NO WARRANTY, EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. WOOD KOTE PRODUCTS ASSUMES NO RESPONSIBILITY FOR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.

